

Vehicle Technologies Office

U.S. DEPARTMENT OF
ENERGY

Energy Efficiency &
Renewable Energy



ES297: Computer Aided Engineering of Batteries (CAEBat) Program Introduction

June 6, 2017

David Howell
Brian
Cunningham
(Presenter)

Tien Duong
Peter Faguy
Samuel Gillard

Overview

- **Vehicle Technologies Office Energy Storage Overview**
- **CAEBat History**
 - Program Objectives
 - Phase I
 - Phase II
 - Phase III
 - Phase IV
- **AMR Agenda**
- **Conclusions**

VTO Energy Storage R&D Overview and Strategy

CHARTER: Develop battery technology that will enable large market penetration of electric drive vehicles

Cost Goal: \$100/kWh_(useable)




Energy Storage R&D

Battery Materials Research (BMR)

Applied Battery Research (ABR)

Battery Development

Battery Testing, Design, & Analysis



VTO Energy Storage R&D Overview and Strategy

CHARTER: Develop battery technology that will enable large market penetration of electric drive vehicles

Cost Goal: \$100/kWh_(useable)


Energy Storage R&D

Battery Materials Research (BMR)



Applied Battery Research (ABR)

Battery Development

Battery Testing, Design, & Analysis



Advanced Processing Technologies



CAEBat Initial Program Objectives

- Program was intended to incorporate existing and new models into a battery design suite with the goal of shortening battery design cycles and optimizing batteries (cells and packs) for improved performance, safety, long life, and low cost
- Battery design suite must address multi-scale physics interactions, be flexible, expandable, validated and verified

CAEBat Overall Program

Element 1
Component
Level Models

Element 2
Cell
Level Models

Element 3
Battery Pack
Level Models

Element 4: Open Architecture Software


CAEBat History: Phase I

- Initial solicitation issued in 2011 for industry to address Elements 2 & 3
- 3 teams were selected with \$7M in DOE funds:
 - EC Power / PSU / Ford / JCI
 - CD-adapco / Battery Design / A123 / JCS
 - GM / ANSYS / E-Sim
- Projects completed FY15
- Resulted in 3 commercially available software packages
 - EC Power's AutoLion
 - CD-adapco's STAR-CCM+/Battery Simulation Module
 - ANSYS's FLUENT/Total Battery Simulator Module
- Conservative estimates predict around 150+ users/paid licensees



CAEBat History: Phase I – Open Architecture

- In parallel to 3 industry awards, ORNL was tasked to develop an open architecture that would enable users to mix and match models from each battery level (i.e. materials component, cell, and pack)
- ORNL developed VIBE – a Virtual Integrated Battery Environment
 - Standardized input and outputs for various elements
 - Battery model library
 - Includes visualization and meshing
 - Allows optimization parameter sweeps using DAKOTA
 - Can be downloaded in a Virtual Machine @ <http://batterysim.org/>
 - Complete Documentation available with help support
- Over 300 downloads from labs, academia, and industry all over the world
- Website receives almost 500 hits/month



CAEBat History: Phase 2 and 3



- 2nd solicitation issued in FY13 to expand upon the current state of electric drive vehicular battery computer-aided engineering models
- Projects were 2 years in duration (FY14 and FY15)
- 3 teams were selected with \$4.5M in DOE funds:
 - NREL / ANSYS / MIT
 - EC Power
 - Sandia / Oak Ridge / Colorado School of Mines
- Phase 3 Lab Call issued in FY15 to improve modeling of safety events, computational speed, and microstructure models
- 2 lab consortiums awarded 3 year projects (FY16-FY18) at ~3.5-4M/yr
 - NREL led team with ANL, SNL, ANSYS, and Texas A&M
 - ORNL led team with LBNL and SNL



CAEBat History: Phase 4

- 2015 FOA selected 3 projects to award with 2 ultimately being funded
 - Ford, ORNL, and Livermore Software Technology Corporation (LS-Dyna)
 - GM, ANSYS, NREL, and Esim
- 3 year projects ~\$5M in DOE funds

Sustainable Battery Software Tool




AMR Agenda

Time	ID	Project Title	PI	Organization
11:15	es297	Computer-Aided Engineering of Batteries (CAEBAT) Program Introduction	Brian Cunningham	DOE
11:30	es298	Efficient Simulation and Abuse Modeling of Mechanical-Electrochemical-Thermal Phenomena in Lithium-Ion Batteries	Shiram Santhanagopalan	NREL
12:00	es299	Microstructure Characterization and Modeling for Improved Electrode Design	Kandler Smith	NREL
13:45	es300	Enhancement and Deployment of VIBE, the Open Architecture Software (OAS) Environment	Srikanth Allu	ORNL
14:15	es301	Experiments and Models for the Mechanical Behavior of Battery Materials	Sergiy Kalnaus	ORNL
14:45	es302	Microstructure Imaging and Electrolyte Transport Property Measurements for Mathematical Modeling	Venkat Srinivasan	ANL
15:15	es303	Exploring How Electrode Structure Affects Electrode-Scale Properties Using 3-D Mesoscale Simulations	Scott Roberts	SNL
16:15	es296	Development and Validation of a Simulation Tool to Predict the Combined Structural, Electrical, Electrochemical, and Thermal Responses of Automotive Batteries	Chulheung Bae	Ford Motor Co.

For More Information...



www.vehicles.energy.gov



Brian Cunningham, Hybrid and Electric Systems, Vehicle Technologies Office
U.S. Department of Energy, 202-287-5686, Brian.Cunningham@ee.doe.gov

For More Information...



www.vehicles.energy.gov



Special thanks to
TARDEC support
& collaboration!

Brian Cunningham, Hybrid and Electric Systems, Vehicle Technologies Office
U.S. Department of Energy, 202-287-5686, Brian.Cunningham@ee.doe.gov